

EVERYDAY STORAGE, REFINED DESIGN

DOUBLE TOWEL RAIL

AT A GLANCE



BEST FOR

Hanging and airing
multiple full-size
bath towel




MATERIAL

Crafted from Stainless
Steel 304



INSTALLATION

Wall-mounted



Specifications



MATERIAL

Stainless **304** Steel




MOUNTING

Concealed wall fixings



DIMENSIONS

- Overall Height **600 mm**
- Rail Thickness **30 mm**
- Wall Projection **115 mm**



What's in the box

INCLUDED

1x	Double towel rail
2x	Concealed mounting plate
4x	Wall-fixing screws
4x	Wall plugs
2x	Grub screw
1x	Allen key

EXPLODED VIEW

- ① Concealed mounting plate
- ② Wall fixing screws
- ③ Double towel rail
- ④ Grub screw
- ⑤ Allen Key

Finish Options



Antique Brass
AEA



Brushed Nickel
AEA



Brushed Brass
PVD




Brushed Copper
PVD



Gun Metal
PVD

Installation Guide

01



Mark the position

Choose the installation height and check for concealed services. Remove the mounting plate using the supplied Allen key.


02



Drill the holes

Hold the mounting plate against the wall, mark the fixing holes and drill using a suitable bit.


03



Secure the plate

Insert suitable wall plugs and screw the mounting plate securely to the supporting wall.

04



Fit the towel rail

Position the hook over the mounting plate and tighten the concealed grub screw. Check that it is straight and secure.



FINAL CHECK · DISCLAIMER

Do not place weight on the towel rail until every fixing is secure.

Care & Maintenance



MILD SOAP & WARM WATER

Clean with mild soap and warm water.



SOFT CLOTH ONLY

Use soft cloth only.



NO CITRUS, BLEACH OR ABRASIVE CLEANERS

These can damage the surface and affect longevity